

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	4	("6,516,105" "6516,111").pn.	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/03/23 13:43
2	BRS	L4	1	10/661891	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/03/23 12:37
3	BRS	L5	1	10/653175	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/03/23 13:42
4	BRS	L7	2	"6516,111".pn.	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/03/23 13:44
5	BRS	L8	1	7 and (reflect\$5 mirror\$2) near7 (coat\$5 film\$2 material\$1)	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/03/23 13:45

	Type	Hits	Search Text
1	BRS	8	("5,946,434" "5,475,771" "5,293,436" "5151957" "5133029" "5111517" "5056,883" "4,772,084").pn.
2	BRS	1	10/661891
3	BRS	41767	(interferomet\$4 mzi)
4	BRS	5279	((split\$5 separat\$5 divid\$4 coupler\$1) near12 polarization\$1) same (('te' near7 'tm') orthogon\$4 (Transverse near5 (electri\$4 near7 magnet\$4)))
5	BRS	692	((split\$5 separat\$5 divid\$4 coupler\$1) near12 polarization\$1) same (('te' near7 'tm') orthogon\$4 (Transverse near5 (electri\$4 near7 magnet\$4))) same ((wave near1 guide\$1) waveguid\$2)
6	BRS	1	S1 and (waveguid\$2 near12 (separat\$5 split\$5 divid\$4) near12 polariz\$5) same birefring\$4 and form\$4 near3 birefring\$4
7	BRS	1	S1 and (waveguid\$2 near12 polariz\$5) same birefring\$4 same (te tm orthogo\$5)
8	BRS	1	S1 and (polariz\$5 te tm) same birefring\$4 same waveguide\$1
9	BRS	82218	(polarizat\$5 near3 beam near3 split\$4) pbs
10	BRS	1235	(polariz\$5 te tm) same birefring\$4 same waveguide\$1
11	BRS	472	polariz\$5 same ((te near12 tm) orthogon\$5) same birefring\$4 same waveguide\$1
12	BRS	5341	('te' near7 'tm') (Transvers\$3 near5 (electri\$4 near7 magnet\$4))
13	BRS	3144	(balanc\$3 'db') near2 coupler\$1
14	BRS	85245	S5 S10
15	BRS	11	S4 and S12 and S13 and S14 and S15
16	BRS	174	S6 and (birefring\$5 same (index\$2 indic\$4))

	DBs	Time Stamp
1	US-PGPUB; USPAT	2005/03/18 17:35
2	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/23 10:51
3	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/21 14:38
4	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/21 14:37
5	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/18 18:24
6	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/18 18:28
7	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/18 18:31
8	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/18 18:36
9	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/21 14:37
10	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/18 18:36
11	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/21 14:38
12	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/21 14:39
13	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/18 18:45
14	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/21 14:36
15	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/21 15:55
16	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/18 19:04

	Type	Hits	Search Text
17	BRS	9	S16 and (birefring\$5 same (index\$2 indic\$4))
18	BRS	6	S16 and ((width\$1 thick\$5 length\$2 waveguide\$1) near12 (narrow\$4 slop\$3 taper\$5 beat))
19	BRS	5	S16 and (silic\$5 si\$3) same deposit\$5 same birefring\$5
20	BRS	2	S16 and ((silic\$4 near3 oxynit\$4) siliconoxynit\$4 'sion')
21	BRS	2	S21 and (vapor\$4 same deposi\$5)
22	BRS	4	("20040101227" "20030026518")
23	BRS	2	("20040101227" "20030026518")
24	BRS	2	S24 and (birefring\$5 same (orthog\$5 te tm))
25	BRS	2	S24 and (birefring\$5 orthog\$5 te tm pbs output\$4 coupl\$4)
26	BRS	2	S24 and (birefring\$5 orthog\$5 te tm pbs output\$4 coupl\$4 normal perpendicu\$5)
27	BRS	2	S24 and (birefring\$5 orthog\$5 te tm pbs output\$4 coupl\$4 normal perpendicu\$5 combin\$5)
28	BRS	2	S24 and (birefring\$5 same (waveguid\$2 core\$1 activ\$4 material\$1 clad\$5))
29	BRS	2	S24 and (birefring\$5 core\$1 activ\$4 wave guid\$4 clad\$5 layer\$1 film\$3 coat\$5)
30	BRS	2	S24 and (birefring\$5 bf\$1 core\$1 activ\$4 wave guid\$4 clad\$5 layer\$1 film\$3 coat\$5)
31	BRS	2	S24 and (birefring\$5 bf\$1 core\$1 activ\$4 wave guid\$4 clad\$5 layer\$1 film\$3 coat\$5 ht\$1 heat\$5)
32	BRS	1	10/661891
33	BRS	1	S33 and (('db' coup\$5) same balanc\$4)
34	BRS	8	('db' near2 coup\$5 near3 balanc\$4) and (MZI interferomet\$5)
35	BRS	2	S24 and (refract\$5 index\$2 indic\$3 birefring\$5 film\$3 coat\$5)

	DBs	Time Stamp
17	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/18 19:06
18	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/18 19:15
19	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/18 19:18
20	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/18 19:20
21	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/21 14:09
22	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/21 11:08
23	US-PGPUB; USPAT	2005/03/21 11:08
24	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/21 11:26
25	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/21 11:27
26	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/21 11:30
27	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/21 12:07
28	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/21 12:14
29	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/21 12:28
30	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/21 12:50
31	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/21 12:51
32	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/21 13:06
33	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/21 13:22
34	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/21 13:48
35	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/21 13:48

	Type	Hits	Search Text
36	BRS	0	S24 and (vapor\$4 same deposi\$5) and ((silic\$4 near3 oxynit\$4) siliconoxynit\$4 'sion' tantalum\$3 si\$2 silic\$4 near1 (\$3oxide diox\$4))
37	BRS	0	S24 and (vapor\$4 same deposi\$5)
38	BRS	2	S24 and (silic\$4 oxynit\$4 siliconoxynit\$4 'sion' tantalum\$3 si\$2 silic\$4 \$3oxide diox\$4)
39	BRS	5279	((split\$5 separat\$5 divid\$4 coupler\$1) near12 polarization\$1) same (('te' near7 'tm') orthogon\$4 (Transverse near5 (electri\$4 near7 magnet\$4)))
40	BRS	82224	(polarizat\$5 near3 beam near3 split\$4) pbs
41	BRS	85251	S40 S41
42	BRS	5279	((split\$5 separat\$5 divid\$4 coupler\$1) near12 polarization\$1) same (('te' near7 'tm') orthogon\$4 (Transverse near5 (electri\$4 near7 magnet\$4)))
43	BRS	82224	(polarizat\$5 near3 beam near3 split\$4) pbs
44	BRS	85251	S43 S44
45	BRS	41780	(interferomet\$4 mzi)
46	BRS	472	polariz\$5 same ((te near12 tm) orthogon\$5) same birefring\$4 same waveguide\$1
47	BRS	5341	('te' near7 'tm') (Transvers\$3 near5 (electri\$4 near7 magnet\$4))
48	BRS	3	"334" and S46 and S47 and S48
49	BRS	73	S45 and S46 and S47 and S48
50	BRS	31	S50 and (silic\$4 oxynit\$4 siliconoxynit\$4 'sion' tantalum\$3 si\$2 silic\$4 \$3oxide diox\$4) near9 core

	DBs	Time Stamp
36	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/21 14:28
37	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/21 14:28
38	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/21 14:41
39	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/21 14:36
40	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/21 14:36
41	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/21 14:36
42	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/21 14:37
43	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/21 14:37
44	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/21 14:37
45	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/21 14:38
46	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/21 14:38
47	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/21 14:39
48	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/21 14:40
49	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/21 14:41
50	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/21 14:44

	Type	Hits	Search Text
51	BRS	30	S50 and (silic\$4 oxynit\$4 siliconoxynit\$4 'sion' tantalum\$3 si\$2 silic\$4 \$3oxide diox\$4) near9 clad\$5
52	BRS	27	S52 and S53
53	BRS	22	S50 and (silic\$4 oxynit\$4 siliconoxynit\$4 'sion' tantalum\$3 si\$2 silic\$4 \$3oxide diox\$4) near9 (therm\$3 heat\$5)
54	BRS	36	S54 S55
55	BRS	13	S54 and S55
56	BRS	12	("20030026518" "20020159702" "6760499" B2 "20040165826" "20040013357" "20030031445" "20020181870" "6757454" "6704487" "6442311" "4978188" "4900112").pn.
57	BRS	12	S59 and (silic\$4 oxynit\$4 siliconoxynit\$4 'sion' tantalum\$3 si\$2 silic\$4 \$3oxide diox\$4) near9 (therm\$3 heat\$5)
58	BRS	12	S60 and (silic\$4 oxynit\$4 siliconoxynit\$4 'sion' tantalum\$3 si\$2 silic\$4 \$3oxide diox\$4) near9 clad\$5
59	BRS	12	S61 and (silic\$4 oxynit\$4 siliconoxynit\$4 'sion' tantalum\$3 si\$2 silic\$4 \$3oxide diox\$4) near9 core\$1
60	BRS	0	"2003002618"
61	BRS	0	"2003002518"
62	BRS	1	"20030026518"
63	BRS	2	S23 and (coup\$5 same te tm state\$1)
64	BRS	1	10/653175

	DBs	Time Stamp
51	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/21 14:49
52	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/21 14:44
53	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/21 14:48
54	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/21 14:46
55	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/21 14:46
56	US-PGPUB; USPAT	2005/03/21 14:48
57	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/21 14:49
58	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/21 14:50
59	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/21 14:50
60	US-PGPUB; USPAT	2005/03/21 15:56
61	US-PGPUB; USPAT	2005/03/21 15:56
62	US-PGPUB; USPAT	2005/03/21 15:56
63	US-PGPUB; USPAT	2005/03/21 15:57
64	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/22 10:52

	Type	Hits	Search Text
65	BRS	1	S67 and (back plane fiber\$1 terminal\$3 surface angle lenght shroud near7 fiber\$1 same terminal\$1 total same reflect\$5 longitudinal light same shoud\$2 same reflect\$5 exit\$3 align\$5 pin\$2)
66	BRS	1	S67 and (light same (enter\$5 exit\$5 shroud\$3 back plane second first))
67	BRS	940	(fiber\$1 waveguide\$1) near7 (fiber\$1 waveguide\$1) near7 total near3 reflect\$4
68	BRS	29776	(fiber\$1 waveguide\$1) near7 angle\$2
69	BRS	5739	(backplane\$1 (back adj1 plane\$1) ((optic\$2 circuit\$1 elect\$5 optoelect\$5 daughter) adj1 (board card\$1))) same (fibre\$1 fiber\$1 waveguide\$1 wave adj1 guide\$1) same optic\$3
70	BRS	20	S70 and S71 and S72
71	BRS	126371	(shroud\$1 subst\$4 (daughter adj1 (board\$1 card\$1))) same (fiber\$1 fibre\$1 wave adj1 guid\$3 waveguide\$1)
72	BRS	13	S75 and align\$6
73	BRS	7	S75 not S76
74	BRS	3761	(total near3 (deflect\$5 reflect\$4)) near7 (fiber\$1 fibre\$1 waveguide\$1 wave near1 guide\$1)
75	BRS	24092	(fiber\$1 waveguide\$1) near7 (fiber\$1 waveguide\$1) near7 (reflect\$5 deflect\$5 coupl\$4 switch\$4) same (beam light)
76	BRS	35822	(fiber\$1 waveguide\$1 fibre\$1 wave near1 guide\$1) near7 angle\$2
77	BRS	1037	(total near3 (deflect\$5 reflect\$4)) near7 (fiber\$1 fibre\$1 waveguide\$1 wave near1 guide\$1) same (fiber\$1 fibre\$1 waveguide\$1 wave near1 guide\$1) near7 angle\$1
78	BRS	579	S78 and S79 and S80 and S81

	DBs	Time Stamp
65	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/22 11:45
66	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/22 11:56
67	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/22 13:36
68	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/22 13:43
69	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/22 15:45
70	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/22 12:12
71	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/22 17:23
72	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/22 13:17
73	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/22 13:18
74	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/22 13:45
75	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/22 13:42
76	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/22 15:46
77	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/22 13:46
78	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/22 13:47

	Type	Hits	Search Text
79	BRS	1624	S72 and S74
80	BRS	5	S84 not S75
81	BRS	20	S70 and S71 and S72 and S74
82	BRS	20	S82 and S83
83	BRS	11	("20040114859" "20030010905" "20020131712" "6778736" "6694071" "6690847" "6647170" "6647168" "6510260" "5193132" "20040179722" "20040114859" "6694071" "6690847" "6647170" "6647168" "6510260").pn.
84	BRS	327	S82 and S74
85	BRS	28	S82 and S72
86	BRS	17	S90 not (S85 S86)
87	BRS	13	S90 not (S73 S75)
88	BRS	8	("20040179722" "20040114859" "20030010905" "20020131712" "6647170" "6647168" "6510260" "5193132").pn.
89	BRS	7	S82 and S88 and (total)
90	BRS	1	S88 not S93
91	BRS	1	"5,163,113".pn.
92	BRS	1	S95 and (fiber\$1 near12 fiber\$1)
93	BRS	362047	(backplane\$1 (back adj1 plane\$1) ((optic\$2 circuit\$1 elect\$5 optoelect\$5 daughter) adj1 (board card\$1)))
94	BRS	52	S89 and S97
95	BRS	2077	(fiber\$1 waveguide\$1 fibre\$1 wave near1 guide\$1) near7 angle\$2 near7(cut\$4 cleav\$5)
96	BRS	16	S98 and S99

	DBs	Time Stamp
79	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/22 13:47
80	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/22 13:48
81	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/22 14:35
82	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/22 14:45
83	US-PGPUB; USPAT	2005/03/22 14:40
84	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/22 14:45
85	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/22 14:46
86	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/22 14:46
87	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/22 14:51
88	US-PGPUB; USPAT	2005/03/22 14:52
89	US-PGPUB; USPAT	2005/03/22 17:06
90	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/22 14:53
91	US-PGPUB; USPAT	2005/03/22 15:15
92	US-PGPUB; USPAT	2005/03/22 15:15
93	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/22 17:14
94	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/22 15:46
95	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/22 18:42
96	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/22 15:48

	Type	Hits	Search Text
97	BRS	14	S100 not (S91 S85 S86 S92)
98	BRS	18	S98 not (S101 S91 S85 S86 S92)
99	BRS	1	"5999670".pn.
100	BRS	1	S103 and (fiber\$1 waveguide\$1 fibre\$1 wave near1 guide\$1) same coup\$5
101	BRS	1	S104 and S97
102	BRS	1	S103 and S97
103	BRS	1	S67 and (shroud\$1 subst\$4 card\$1 board\$2 circuit\$2 back nea2 plane backplane\$1 example\$1)
104	BRS	1	S67 and (shroud\$1 card\$1 board\$2 back nea2 plane backplane\$1) same (material\$1 subst\$4 circuit\$2 electr\$5 optoelect\$5 example\$1)
105	BRS	1	S103 and (shroud\$1 card\$1 board\$2 back nea2 plane backplane\$1 material\$1 subst\$4 circuit\$2 electr\$5 optoelect\$5 polymer\$1)
106	BRS	1	S103 and (shroud\$1 card\$1 board\$2 back nea2 plane backplane\$1 material\$1 subst\$4 circuit\$2 electr\$5 optoelect\$5 polymer\$4)
107	BRS	1	S103 and (shroud\$1 card\$1 board\$2 back nea2 plane backplane\$1 substra\$4 support\$4) near12 (material\$1 circuit\$2 electr\$5 optoelect\$5 polymer\$4)
108	BRS	1	S67 and (shroud\$1 back nea2 plane backplane\$1) near12 (material\$1 transparent polymer\$4 resin\$1 silic\$6 sio\$1 glass\$2)
109	BRS	1	S67 and (shroud\$1 back nea2 plane backplane\$1) near16 (material\$1 transparent polymer\$4 resin\$1 silic\$6 sio\$1 glass\$2)
110	BRS	1	S103 and (fiber\$1 waveguide\$1 fibre\$1 wave near1 guide\$1) same coupl\$4

	DBs	Time Stamp
97	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/22 15:54
98	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/22 15:56
99	US-PGPUB; USPAT	2005/03/22 17:07
100	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/22 17:07
101	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/22 17:14
102	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/22 17:18
103	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/22 18:02
104	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/22 18:03
105	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/22 17:45
106	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/22 17:55
107	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/22 17:56
108	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/22 18:05
109	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/22 18:41
110	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/22 20:09

	Type	Hits	Search Text
111	BRS	1	S103 and (lens focus\$4 collimat\$5)
112	BRS	1	10/661891
113	BRS	0	S116 and (shroud same (card daughter))
114	BRS	1	10/653175
115	BRS	1	S118 and (shroud same (card daughter))

	DBs	Time Stamp
111	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/22 20:09
112	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/23 10:52
113	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/23 10:53
114	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/23 10:53
115	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/23 12:13

Day : Wednesday

Date: 3/23/2005
Time: 14:13:52

PALM INTRANET
Inventor Name Search Result

Your Search was:

Last Name = SIMONS

First Name = RICHARD

Application#	Patent#	Status	Date Filed	Title	Inventor Name
08348312	Not Issued	161	12/02/1994	REPLACEABLE SENSING SYSTEM FOR ELECTRONIC DRUM	SIMONS, RICHARD
08504904	5797569	150	07/20/1995	APPARATUS FOR CLAMPING A MUSICAL INSTRUMENT	SIMONS, RICHARD
08769714	5810224	250	12/18/1996	MARCHING RACK FOR PERCUSSION INSTRUMENTS	SIMONS, RICHARD
09096879	6020546	150	06/12/1998	BLOCK PERCUSSION INSTRUMENT	SIMONS, RICHARD
09237270	6018116	150	01/25/1999	PROTECTOR DEVICE FOR CONGA DRUMS	SIMONS, RICHARD
09237645	6091009	150	01/26/1999	MUSICAL PERCUSSION INSTRUMENT	SIMONS, RICHARD
09237688	6091011	150	01/26/1999	MULTIPLE MUSICAL INSTRUMENT HOLDER	SIMONS, RICHARD
09496779	6271449	150	02/03/2000	MUSICAL INSTRUMENT	SIMONS, RICHARD
09679152	6392129	150	10/05/2000	MUSICAL INSTRUMENT AND METHOD OF MAKING SAME	SIMONS, RICHARD
09764322	6362406	150	01/17/2001	SHAKEN IDIOPHONE	SIMONS, RICHARD
09764482	6489546	150	01/17/2001	MUSICAL INSTRUMENT AND METHOD OF MAKING SAME	SIMONS, RICHARD
09765724	6365810	150	01/17/2001	SHAKER INSTRUMENT	SIMONS, RICHARD
10638122	Not Issued	041	08/08/2003	DRUM HEAD ASSEMBLY AND METHOD OF TENSIONING A DRUM HEAD	SIMONS, RICHARD
10653175	Not Issued	071	09/03/2003	LOW-PROFILE BACK PLANE INTERCONNECTION DEVICE	SIMONS, RICHARD
10698882	Not Issued	041	10/31/2003	BLOCKED FLUE DETECTION METHODS AND SYSTEMS	SIMONS, RICHARD

<u>10822882</u>	Not Issued	030	04/13/2004	REMOTE TESTING OF HVAC SYSTEMS	SIMONS, RICHARD
<u>29072510</u>	<u>D409649</u>	150	06/19/1997	BLOCK PERCUSSION INSTRUMENT	SIMONS, RICHARD
<u>29099731</u>	<u>D441007</u>	150	01/26/1999	HANDLE FOR A MUSICAL INSTRUMENT	SIMONS, RICHARD
<u>29135613</u>	<u>D456442</u>	150	01/16/2001	HANDLE FOR A MUSICAL INSTRUMENT	SIMONS, RICHARD
<u>29135791</u>	<u>D470169</u>	150	01/17/2001	SHAKEN IDIOPHONE	SIMONS, RICHARD
<u>60008740</u>	Not Issued	159	12/18/1995	MARCHING RACK FOR PERCUSSION INSTRUMENTS	SIMONS, RICHARD
<u>60050911</u>	Not Issued	159	06/13/1997	BLOCK PERCUSSION INSTRUMENT	SIMONS, RICHARD
<u>60401956</u>	Not Issued	159	08/08/2002	DRUM HEAD ASSEMBLY AND METHOD OF TENSIONING A DRUM HEAD	SIMONS, RICHARD
<u>08908219</u>	<u>5936175</u>	150	08/07/1997	DRUM HEAD ASSEMBLY	SIMONS, RICHARD D.
<u>07238789</u>	<u>4853009</u>	150	08/31/1988	MULTI ORIENTATION FUEL VAPOR STORAGE CANISTER ASSEMBLY	SIMONS, RICHARD H.
<u>07711761</u>	<u>5119791</u>	150	06/07/1991	VAPOR STORAGE CANISTER WITH LIQUID TRAP	SIMONS, RICHARD H.
<u>08379360</u>	Not Issued	163	01/27/1995	STATUS REPORTING OF POSITION	SIMONS, RICHARD L.
<u>10416149</u>	Not Issued	092	11/28/2003	CARBENE PORPHYRINS AND CARBENE PORPHYRINOID, METHODS OF PREPARATION AND USES THEREOF	SIMONS, RICHARD S.
<u>60247326</u>	Not Issued	159	11/10/2000	CARBENE PORPHYRINS AND CARBENE PORPHYRINOID, METHODS OF PREPARATION AND USES THEREOF	SIMONS, RICHARD S.
<u>08160079</u>	<u>5519433</u>	150	11/30/1993	INTERACTIVE TELEVISION SECURITY THROUGH TRANSACTION TIME STAMPING	SIMONS, RICHARD S.
<u>08472504</u>	<u>5764275</u>	150	06/07/1995	INTERACTIVE TELEVISION SECURITY THROUGH TRANSACTION TIME STAMPING	SIMONS, RICHARD S.
<u>09621257</u>	<u>6478574</u>	150	07/21/2000	PUMP PURGE FOR OIL PRIMARY	SIMONS, RICHARD W.

<u>09621259</u>	<u>6494707</u>	150	07/21/2000	LIMITED RECYCLE FOR PRIMARY CONTROLS	SIMONS, RICHARD W.
<u>09734354</u>	<u>6413078</u>	150	12/11/2000	RESTRICTED OPERATING MODES FOR OIL PRIMARY	SIMONS, RICHARD W.
<u>06089070</u>	<u>4266965</u>	150	10/29/1979	2-ALPHA-NAPHTHOXY)-N,N- DIETHYL PROPIONAMIDE AS AN AQUEOUS FLOWABLE CONCENTRATE	SIMONS, RICHARD W.
<u>06271715</u>	Not Issued	163	06/08/1981	FLOWABLE COMPOSITION CONTAINING CAPTAN FOR USE AS A SEED DRESSING	SIMONS, RICHARD W.
<u>06336801</u>	Not Issued	161	01/04/1982	METHOD OF STABILIZING CERTAIN THIOLCARBAMATE SULFOXIDES	SIMONS, RICHARD W.
<u>08068825</u>	Not Issued	169	05/28/1993	FLAME RECTIFICATION SENSOR EMPLOYING PULSED EXCITATION	SIMONS, RICHARD W.
<u>08099667</u>	<u>5472336</u>	150	07/29/1993	FLAME RECTIFICATION SENSOR EMPLOYING PULSED EXCITATION	SIMONS, RICHARD W.
<u>08802456</u>	<u>5812061</u>	150	02/18/1997	SENSOR CONDITION INDICATING SYSTEM	SIMONS, RICHARD W.
<u>09363624</u>	<u>6175207</u>	150	07/29/1999	POWER UP COMMUNICATION INTERFACE SYSTEM	SIMONS, RICHARD W.
<u>06422106</u>	Not Issued	161	09/23/1982	PHOTOGRAPHIC ELEMENT DEVELOPING METHOD	SIMONSEN, RICHARD
<u>06643204</u>	Not Issued	163	08/22/1984	PHOTOGRAPHIC ELEMENT DEVELOPING METHOD	SIMONSEN, RICHARD
<u>06444523</u>	Not Issued	168	11/26/1982	ROTATING DISK DATA STORAGE DEVICE	SIMONSEN, RICHARD C.
<u>06806082</u>	<u>4639798</u>	150	12/06/1985	DISK DRIVE HAVING TWO INTERACTIVE ELECTROMECHANICAL CONTROL SUBSYSTEMS	SIMONSEN, RICHARD C.
<u>08071665</u>	Not Issued	161	06/02/1993	INTRAORAL-PROCEDURES ELECTRODE AND CONNECTOR	SIMONSEN, RICHARD J.
<u>08193430</u>	<u>5366489</u>	150	02/08/1994	ANESTHESIA ELECTRODE AND APPLICATOR ASSEMBLY	SIMONSEN, RICHARD J.
<u>08274630</u>	<u>5496363</u>	150	07/13/1994	ELECTRODE AND ASSEMBLY	SIMONSEN, RICHARD J.
<u>08144191</u>	Not Issued	161	10/27/1993	FLUORESCENT LIGHTING FIXTURE	SIMONSON, RICHARD

<u>10525323</u>	Not Issued	019	01/01/0001	MEDICAL PAD AND METHOD FOR MAKING AND USING	SIMONSON, RICHARD M
-----------------	---------------	-----	------------	--	------------------------

[Search and Display More Records.](#)

Search Another: Inventor

Last Name	First Name	
<input type="text" value="SIMONS"/>	<input type="text" value="RICHARD"/>	<input type="button" value="Search"/>

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)